

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Original): An activated carbon sheet molding obtained by molding an activated carbon sheet made of activated carbon satisfying $b/a = 0.3$ through 0.55 when 100%-concentration n-butane adsorbing amount per 100 parts by weight of activated carbon at 40°C is defined as a parts by weight and a 1%-concentration n-butane adsorbing amount is defined as b parts by weight.

Claim 2 (Original): The activated carbon sheet molding according to Claim 1, wherein the activated carbon sheet molding is an activated carbon paper molding.

Claim 3 (Currently Amended): The activated carbon sheet molding according to Claim 1-~~or 2~~, wherein the activated carbon sheet molding is a honeycomb-shaped molding.

Claim 4 (Original): The activated carbon sheet molding according to Claim 3 wherein the honeycomb is a corrugated honeycomb.

Claim 5 (Currently Amended): The activated carbon sheet molding according to ~~any of Claims 1 through 4~~ Claim 1, wherein the activated carbon sheet molding is a fuel vapor adsorbing layer.

Claim 6 (Original): The activated carbon sheet molding according to Claim 5, wherein the adsorbing layer is a plurality of connected adsorbing layers.

Claim 7 (Currently Amended): The activated carbon sheet molding according to ~~any of Claims 1 through 6~~ Claim 1, formed by molding an activated carbon sheet obtained by wet-molding and drying an emulsion mainly containing granular or powdery activated carbon, latex, carboxymethyl cellulose, and water as main components.

Claim 8 (Currently Amended): The activated carbon sheet molding according to ~~any of Claims 1 through 6~~ Claim 1, formed by molding an activated carbon sheet obtained by paper-making and drying slurry obtained by adding water to a mixture of granular or powdery activated carbon and a binder and is added with water.

Claim 9 (Currently Amended): An element for a fuel evaporative emission preventing device, using the activated carbon sheet molding according to Claim 1 ~~any of Claims 1 through 6~~.

Claim 10 (Original): The element for a fuel evaporative emission preventing device according to Claim 9, wherein the element for a fuel evaporative emission preventing device is a second canister.

Claim 11 (Original): The element for a fuel evaporative emission preventing device according to Claim 9, wherein the element for a fuel evaporative emission preventing device is an engine air intake element.

Claim 12 (New): The activated carbon sheet molding according to Claim 2, wherein the activated carbon sheet molding is a honeycomb-shaped molding.

Claim 13 (New): The activated carbon sheet molding according to Claim 12, wherein the honeycomb is a corrugated honeycomb.

Claim 14 (New): The activated carbon sheet molding according to Claim 2, formed by molding an activated carbon sheet obtained by wet-molding and drying an emulsion mainly containing granular or powdery activated carbon, latex, carboxymethyl cellulose, and water as main components.

Claim 15 (New): The activated carbon sheet molding according to Claim 3, formed by molding an activated carbon sheet obtained by wet-molding and drying an emulsion mainly containing granular or powdery activated carbon, latex, carboxymethyl cellulose, and water as main components.

Claim 16 (New): The activated carbon sheet molding according to Claim 4, formed by molding an activated carbon sheet obtained by wet-molding and drying an emulsion mainly containing granular or powdery activated carbon, latex, carboxymethyl cellulose, and water as main components.

Claim 17 (New): The activated carbon sheet molding according to Claim 5, formed by molding an activated carbon sheet obtained by wet-molding and drying an emulsion mainly containing granular or powdery activated carbon, latex, carboxymethyl cellulose, and water as main components.

Claim 18 (New): The activated carbon sheet molding according to Claim 6, formed by molding an activated carbon sheet obtained by wet-molding and drying an emulsion mainly containing granular or powdery activated carbon, latex, carboxymethyl cellulose, and water as main components.

Claim 19 (New): The activated carbon sheet molding according to Claim 12, formed by molding an activated carbon sheet obtained by wet-molding and drying an emulsion mainly containing granular or powdery activated carbon, latex, carboxymethyl cellulose, and water as main components.

Claim 20 (New): The activated carbon sheet molding according to Claim 13, formed by molding an activated carbon sheet obtained by wet-molding and drying an emulsion mainly containing granular or powdery activated carbon, latex, carboxymethyl cellulose, and water as main components.